

RECEIVED  
CENTRAL FAX CENTER

NOV 01 2006

## CLAIMS

1. (Withdrawn) A method of medical treatment of devastating effects against a human immunodeficiency virus and an acquired immunodeficiency syndrome by using a medication with any of a natural and synthetic capsaicin, related derivatives, vanilloids and capsicum extract comprising:

- (a) providing an intravenous, intramuscular /subcutaneous and digestive treatments with said medication, and
- (b) providing an intramuscular / subcutaneous pretreatment previous to said intravenous treatment making permissible an administration of said medication by this way in a human body, and
- (c) providing an independent and combined administration of the substance, through a periodic and subsequent application of said treatments means according to a different stage of said diseases in a patient, and

whereby said intravenous treatment will produce, a neuropeptide realease in humans, stimulating it a immune system, a virus replication inhibition and a control of opportunistic diseases related, and,

whereby said intramuscular / subcutaneous treatment will serve as an alternative treatment to said intravenous treatment, and

whereby said intramuscular /subcutaneous pretreatment will minimize a bezold-jarisch reflex by reducing a side effect of said medication, and

whereby said digestive treatment will provoke an antioxidant effect and it will also help to control opportunistic diseases related, specially it that attacks a digestive system.

2. (Withdrawn) A method of medical treatment of claim 1, wherein said treatments are applied, comprising:

- (a) administration of said medication following it a pattern according to a function of values of  $x$  equal to  $1/x$ , where a value of  $x$  is bigger than 0, in agreement to figures 2, 3 and 4, and

10/85843

- (b) administration of said medication, wherein said treatments are equivalents by means a potency of the substance, and
  - (c) administration of said medication following said function and a predetermined range of concentrations and doses defined upon an aside of concentrations and dosage, and
  - (d) administration of said medication, wherein said predetermined range of concentrations is limited between a concentration that provokes a sensation of perceptible warmth and a concentration not reaching it a sensation of persistent burning, and
  - (e) administration of said medication by increasing a dose and a concentration in said predetermined range, means for inducing a light nervous desensitization process in the human organism, and
  - (f) administration of said medication by regulating a velocity of injecting at least at 1ml/min for a first half of medications and at 1ml/30sec for a remainder of medications.
3. (Withdrawn) A method of medical treatment of claim 2, wherein said predetermined range of concentrations and doses is defined comprising:
- (a) providing an intravenous administration of said medication, through a range of concentrations between 2mcg/ml and 8mcg/ml, and a range of doses between 1mcg/kg and 7mcg/kg of body weight, and
  - (b) providing an intramuscular / subcutaneous administration of said medication, through a range of concentrations between 10mcg/ml and 80mcg/ml, and a range of doses between 1mcg/kg and 8mcg/kg of bodyweight, and
  - (c) providing a digestive administration of said medication, through a range of concentrations between 100mcg/gr and 450mcg/gr, and a range of doses between 100mcg/kg and 450mcg/kg of bodyweight.
4. (Withdrawn) A method of medical treatment of claim 1, wherein said treatments are applied by leaving a patient period of resting comprising:
- (a) of at least thirty consecutive days among said treatments, and
  - (b) of at least a day off among two different doses.